

# WORLD BEDWETTING DAY

TIJD VOOR ACTIE - 30 MEI 2017

**Bedlassen is een veel voorkomende medische aandoening die kan en behandeld moet worden<sup>1</sup>**

- Het is geen psychologisch probleem, maar wordt over het algemeen veroorzaakt door een overproductie van urine tijdens de nacht, het niet wakker worden bij een volle blaas of een verminderde blaascapaciteit<sup>2,3,4</sup>
- Zonder behandeling zal bedlassen niet altijd vanzelf overgaan<sup>5</sup>



Voor meer informatie over deze medische aandoening, ga naar de website



[WWW.WORLDBEDWETTINGDAY.COM](http://WWW.WORLDBEDWETTINGDAY.COM)



[WWW.BEHANDELBEDPLASSEN.NL](http://WWW.BEHANDELBEDPLASSEN.NL)

World Bedwetting Day was initiated and supported by the World Bedwetting Day Steering Committee, which consists of the International Children's Continence Society (ICCS), the European Society for Paediatric Urology (ESPU), the Asia Pacific Association of Paediatric Urology (APAPU), the International Paediatric Nephrology Association (IPNA), the European Society of Paediatric Nephrology (ESPN), the Sociedad Iberoamericana de Urologia Paediatrica (SIUP) and the North American Paediatric Urology Societies. This initiative is supported by Ferring Pharmaceuticals.

#### REFERENCES

1. Hjalmås K et al. Nocturnal Enuresis: An International Evidence Based Management Strategy. The Journal of Urology. Vol. 171;2545-2561, June 2004
2. Vande Walle J et al. Practical consensus guidelines for the management of enuresis. Eur J Pediatr 2012;171(6):971-983
3. Vande Walle J et al. Erratum to: Practical consensus guidelines for the management of enuresis. Eur J Pediatr 2013;172(2):285
4. Vande Walle J et al. Erratum to: Practical consensus guidelines for the management of enuresis. Eur J Pediatr 2012;171(6):1005
5. NHS Conditions: <http://www.nhs.uk/conditions/Bedwetting/pages/introduction.aspx> [Last accessed: 22.12.16]

# WORLD BEDWETTING DAY

## TIJD VOOR ACTIE

**Bedlassen is niemands schuld;  
het is een veelvoorkomende  
medische aandoening die kan en  
behandeld moet worden<sup>1</sup>**

Voor meer informatie over deze medische aandoening, ga naar de website

 [WWW.WORLDBEDWETTINGDAY.COM](http://www.worldbedwettingday.com)

 [WWW.BEHANDELBEDPLASSEN.NL](http://www.behandelbedlassen.nl)



World Bedwetting Day was initiated and supported by the World Bedwetting Day Steering Committee, which consists of the International Children's Continence Society (ICCS), the European Society for Paediatric Urology (ESPU), the Asia Pacific Association of Paediatric Urology (APAPU), the International Paediatric Nephrology Association (IPNA), the European Society of Paediatric Nephrology (ESPN), the Sociedad Iberoamericana de Urologia Paediatrica (SIUP) and the North American Paediatric Urology Societies. This initiative is supported by Ferring Pharmaceuticals.

# WORLD BEDWETTING DAY

TIJD VOOR ACTIE - 30 MEI 2017



Bedplassen, ook wel enuresis nocturna genoemd, wordt gedefinieerd als ongewild urineverlies tijdens de slaap<sup>1</sup>

Bedplassen is een veelvoorkomende aandoening bij kinderen

## Vaakst voorkomende oorzaken van bedplassen<sup>2</sup>

Verminderde blaascapaciteit



Niet wakker worden

Te hoge urineproductie 's nachts

Ongeveer **5-10%** van de 7-jarigen plast regelmatig in bed<sup>3</sup>



Ouders wachten gemiddeld 3 jaar alvorens medische hulp in te roepen<sup>4</sup>

# Bedlassen heeft impact op het kind



School en sociale prestaties<sup>5</sup>



Emotioneel welzijn en het gevoel van eigenwaarde<sup>2</sup>



Dagelijks functioneren<sup>2</sup>

**Bedlassen kan behandeld worden en gezinnen kunnen beter contact opnemen met een arts voor extra advies**

Voor meer informatie over deze medische aandoening, ga naar de website



**WWW.WORLDBEDWETTINGDAY.COM**



**WWW.BEHANDELBEDPLASSEN.NL**

**World Bedwetting Day is held every last Tuesday in May to raise awareness among the public and healthcare professionals that bedwetting is a common medical condition that can and should be treated.**

World Bedwetting Day was initiated and supported by the World Bedwetting Day Steering Committee, which consists of the International Children's Continence Society (ICCS), the European Society for Paediatric Urology (ESPU), the Asia Pacific Association of Paediatric Urology (APAPU), the International Paediatric Nephrology Association (IPNA), the European Society of Paediatric Nephrology (ESPN), the Sociedad Iberoamericana de Urología Paediatrica (SIUP) and the North American Paediatric Urology Societies. This initiative is supported by Ferring Pharmaceuticals.

**References:** 1. Austin P et al. The Standardization of Terminology of Lower Urinary Tract Function in Children and Adolescents: Update Report from the Standardization Committee of the International Children's Continence Society. *The Journal of Urology*. 2014;191:1863-1865 2. Vande Walle J et al. Erratum to: Practical consensus guidelines for the management of enuresis. *Eur J Pediatr* 2012;171:971-983 3. Nevéus T. Nocturnal enuresis— theoretic background and practical guidelines. *Pediatr Nephrol*. 2011; 26:1207-1214 4. SD Consulting. Global Bedwetting Study (Europe, Brazil, China, Japan) Qualitative large scale. 2014. 5. Van Herzele C, Dhondt K, Roels S P et al. Desmopressin(melt) therapy in children with monosymptomatic nocturnal enuresis and nocturnal polyuria results in improved neuropsychological functioning and sleep. *Pediatr Nephrol*. 2016; Aug;120(2):e308-16